



TESORO


LUXURY OUTDOOR LIVING



Outdoor Living




Outdoor Heating



Misting - Fogging

1000 PSI DIRECT DRIVE PUMP



- High Quality Cat Pump
- Low Pressure Inlet Solenoid
- Outdoor Rated / Weather Resistant
- Dual 5 & 1 Micron Filtration

Model Number	Pump Description	Flow GPM	Volts Input Phase	Motor HP	Pump RPM	Motor Amps	Nozzle Cap. 008	Nozzle Cap. 012
60030K-DF	Direct Drive Pump	.33	120	.75	1750	8.4	16	11
60031K-DF	Direct Drive Pump	.33	208/230-1	.75	1750	4.2	16	11
60050K-DF	Direct Drive Pump	.50	120	.75	1750	8.4	25	17
60051K-DF	Direct Drive Pump	.50	208/230-1	.75	1750	4.2	25	17
60100K-DF	Direct Drive Pump	1.0	120	.75	1750	8.4	50	36
60101K-DF	Direct Drive Pump	1.0	208/230-1	.75	1750	4.2	50	36
60150K-DF	Direct Drive Pump	1.5	120	1.5	1750	14.0	75	54
60151K-DF	Direct Drive Pump	1.5	208/230-1	1.5	1750	7.0	75	54
60200K-DF	Direct Drive Pump	2.1	120	1.5	1750	14.0	105	75
60201K-DF	Direct Drive Pump	2.1	208/230-1	1.5	1750	7.0	105	75
60300K-DF	Direct Drive Pump	2.9	208/230-1	2	1750	9.4	145	104

1000 PSI ENCLOSED PUMP




- High Quality Cat Pump
- Fan Cooled Fully Enclosed
- Low Pressure Inlet Solenoid
- Outdoor Rated / Weather Resistant
- Dual 5 & 1 Micron Filtration

Model Number	Pump Description	Flow GPM	Volts Input Phase	Motor HP	Pump RPM	Motor Amps	Nozzle Cap. 008	Nozzle Cap. 012
60030KH	Direct Drive Pump	.33	120	.75	1750	8.4	16	11
60031KH	Direct Drive Pump	.33	208/230-1	.75	1750	4.2	16	11
60050KH	Direct Drive Pump	.50	120	.75	1750	8.4	25	17
60051KH	Direct Drive Pump	.50	208/230-1	.75	1750	4.2	25	17
60100KH	Direct Drive Pump	1.0	120	.75	1750	8.4	50	36
60101KH	Direct Drive Pump	1.0	208/230-1	.75	1750	4.2	50	36
60150KH	Direct Drive Pump	1.5	120	1.5	1750	14.0	75	54
60151KH	Direct Drive Pump	1.5	208/230-1	1.5	1750	7.0	75	54
60200KH	Direct Drive Pump	2.1	120	1.5	1750	14.0	105	75
60201KH	Direct Drive Pump	2.1	208/230-1	1.5	1750	7.0	105	75

1000 PSI PULLEY PUMP



- Continuous Duty
- Fully Enclosed Housing
- Quality Design
- Outdoor Rated / Weather Resistant
- Durable Powder Coat Finish
- Low RPM Design / Quiet Operation



MODEL NUMBER	PUMP DESCRIPTION	FLOW GPM	VOLTS PHASE	MOTOR HP	PUMP RPM	F.L. AMPS	NOZZLE CAP .012
50099-HDE	Totally Enclosed Pulley Driven	.5	120-1	1.0	450	10.8	18
50100-HDE	Totally Enclosed Pulley Driven	1.0	120-1	1.0	518	10.8	36
50101-HDE	Totally Enclosed Pulley Driven	1.0	230-1	1.0	518	6.0	36
50150-HDE	Totally Enclosed Pulley Driven	1.5	120-1	1.5	736	14.0	54
50151-HDE	Totally Enclosed Pulley Driven	1.5	230-1	1.5	736	7.0	54
50200-HDE	Totally Enclosed Pulley Driven	2.0	120-1	1.5	940	14.0	72
50201-HDE	Totally Enclosed Pulley Driven	2.0	230-1	1.5	940	7.0	72

1000 PSI VARIABLE SPEED PUMP



- Heavy Duty Cat Pump
- Fan Cooled Housing
- Variable Speed
- Outdoor Rated / Weather Resistant
- Low Water Protection
- Continuous Duty
- High Pressure Solenoid valves

MODEL NUMBER	PUMP DESCRIPTION	FLOW GPM	VOLTS PHASE	MOTOR HP	FL AMPS	NOZZLE CAP .012
60050-HDE-1PH-120VFD	Totally Enclosed Variable Speed	.50	120	.75	3	18
60100-HDE-1PH-120VFD	Totally Enclosed Variable Speed	1.0	120	1	3.6	36
60100-HDE-3PH-230VFD	Totally Enclosed Variable Speed	1.0	230-3	1	3.6	36
60100-HDE-3PH-460VFD	Totally Enclosed Variable Speed	1.0	460-3	1	1.8	36
60150-HDE-1PH-230VFD	Totally Enclosed Variable Speed	1.5	230-1	1.5	4.8	54
60150-HDE-3PH-230VFD	Totally Enclosed Variable Speed	1.5	230-3	1.5	4.8	54
60150-HDE-3PH-460VFD	Totally Enclosed Variable Speed	1.5	460-3	1.5	2.4	54
60200-HDE-1PH-230VFD	Totally Enclosed Variable Speed	2.1	230-1	1.5	4.8	75
60200-HDE-3PH-230VFD	Totally Enclosed Variable Speed	2.1	230-3	1.5	4.8	75
60200-HDE-3PH-460VFD	Totally Enclosed Variable Speed	2.1	460-3	1.5	2.4	75
60300-HDE-1PH-230VFD	Totally Enclosed Variable Speed	2.9	230-1	3	8.9	104
60300-HDE-3PH-230VFD	Totally Enclosed Variable Speed	2.9	230-3	3	8.9	104
60300-HDE-3PH-460VFD	Totally Enclosed Variable Speed	2.9	460-3	3	4.2	104

1000 PSI PULLEY PUMP KITS



1000 PSI PULLEY PUMP KITS



1. Measure the open outside perimeter of the patio or structure (In general, mist line should be mounted to the lower outside edge of patio fascia with nozzles facing outwards at an angle of 20-45 degrees, depending on height / shade.
2. Determine the amount of mist line tubing that will be needed.
3. Space nozzles evenly between columns.
4. Select the appropriate mist kit.
5. Additional parts may be required.

Part Number	Description Misting System	Pump Model Number	Nylon 50 ft. 56401-BLK	Blank SS Tube 51375-8	Mist Line 51024-8P	SS Nozzle 51433	SS Union 55001	SS Elbow 55002	SS Cap 55004	SS Clamp 556377	Phillips Screw 52602	Plastic Anchor 52603
10016	32 Ft. Stainless Kit	50099-HDE	1	1	4	16	4	3	1	30	30	30
10020	40 Ft. Stainless Kit	50100-HDE	1	1	5	20	5	3	1	30	30	30
10024	48 Ft. Stainless Kit	50100-HDE	1	1	6	24	6	3	1	34	34	34
10028	56 Ft. Stainless Kit	50100-HDE	1	1	7	28	7	3	1	38	38	38
10032	64 Ft. Stainless Kit	50100-HDE	1	1	8	32	8	3	1	42	42	42
10036	72 Ft. Stainless Kit	50100-HDE	1	1	9	36	9	3	1	46	46	46
10040	80 Ft. Stainless Kit	50150-HDE	1	1	10	40	10	3	1	50	50	50
10044	88 Ft. Stainless Kit	50150-HDE	1	1	11	44	11	3	1	54	54	54
10048	96 Ft. Stainless Kit	50150-HDE	1	1	12	48	12	3	1	58	58	58
10052	104 Ft. Stainless Kit	50150-HDE	1	1	13	52	13	3	1	62	62	62
10056	112 Ft. Stainless Kit	50200-HDE	1	1	14	56	14	3	1	66	66	66
10060	120 Ft. Stainless Kit	50200-HDE	1	1	15	60	15	3	1	70	70	70
10064	128 Ft. Stainless Kit	50200-HDE	1	1	16	64	16	3	1	74	74	74
10068	136 Ft. Stainless Kit	50200-HDE	1	1	17	68	17	3	1	78	78	78
10072	144 Ft. Stainless Kit	50200-HDE	1	1	18	72	18	3	1	82	82	82
10076	152 Ft. Stainless Kit	50200-HDE	1	1	19	76	19	3	1	86	86	86
10080	160 Ft. Stainless Kit	50200-HDE	1	1	20	80	20	3	1	90	90	90

CEILING MOUNT MISTING FANS



MODEL 68020-CF-BR230

Color: 3M Wrap Brushed Titanium



MODEL 68020-CF-BR212

Color: 3M Wrap Brushed Black Metallic



MODEL 68020-CF-M209

Color: 3M Wrap Brown Metallic

CEILING MOUNT MISTING FAN KITS



- Corrosion Resistant 304 Stainless Shroud
- Dimmable LED LIGHT
- Down Rod with Canopy
- Outdoor Rated/ Weather Resistant
- Built In 316 Stainless Steel Mist Ring
- Low Noise Level
- 120 VAC 1.2 AMPS
- Fan Diameter 19.69"
- Fan Height From Ceiling to the bottom of the light is 21"
- Nozzles Sold Separately

Kit Part Number	Description Misting Fan Kit	Fan Model 68020-CF	Pump Model Number	Black Nylon 1/4" Tube	Stainless Nozzle 51432	Push Lock Tee 52327	Vinyl Clamp 52374
68020-CF-1FS	Ceiling Fan System	1	60050KH	50 ft	8	0	15
68020-CF-2FS	Ceiling Fan System	2	60050KH	50 ft	16	1	20
68020-CF-3FS	Ceiling Fan System	3	60100KH	100 ft.	24	2	30
68020-CF-3FS	Ceiling Fan System	4	60100KH	100 ft.	32	3	35
68020-CF-BR230	Ceiling Fan						

OSCILLATING MISTING FANS



Part Number	Fan Description	Fan Color	Volts Input Phase	Fan Speed	Fan Watts	Fan Amps	Nozzles Required
68025-BK	18" Oscillating Fan	Black	115	3	178	1.5	5
68025-WK	18" Oscillating Fan	White	115	3	178	1.5	5
68025-SS	18" Oscillating Fan	Stainless	115	3	178	1.5	5
68026-BK	24" Oscillating Fan	Black	115	3	202	1.9	5
68026-WK	24" Oscillating Fan	White	115	3	202	1.9	5
68026-SS	24" Oscillating Fan	Stainless	115	3	202	1.9	5
68030-K	30" Oscillating Fan	Black	115	3	230	2.5	8
68025-PED	Fan Pedestal for 18" Fan	Black					
68026-PED	Adjustable Fan Pedestal 18" 24"-30"	Black					



OSCILLATING MISTING FAN KITS

Kit Part Number	Description Fan Kit	Fan Model 68025-B	Pump Model Number	Black Nylon 3/8 Tube	Anti-Drip Nozzle 51432	Push Lock Tee 52377	Male Adapter 52371	Rubber Clamp 56375	End Plug 52379
68025-B-1FS	(1) Fan System	1	60030K	50'	5	1	1	15	1
68025-B-2FS	(2) Fan System	2	60050K	100'	10	2	2	25	1
68025-B-3FS	(3) Fan System	3	60050K	100'	15	3	3	35	1
68025-B-4FS	(4) Fan System	4	60050K	125'	20	4	4	45	1
68025-B-5FS	(5) Fan System	5	60100	150'	25	5	5	55	1
68025-B-6FS	(6) Fan System	6	60100	200'	30	6	6	65	1
68025-B-7FS	(7) Fan System	7	60100	200'	35	7	7	75	1
68025-B-8FS	(8) Fan System	8	60100	225'	40	8	8	85	1



MISTING TOWER



- Rated up To 1000 PSI
- 10/24 Nozzles Included
- Stainless Steel Spray Bar
- Adjustable to 7'4"
- Shut Off Valve
- Light Weight Design
- Extruded Aluminum Poles / Feet
- 3/8" Nylon Tube Connection
- Misting Tower Part Number #52430
- Addition Quick Connections Available




FOGGING KITS

15 Nozzle High Pressure Fogging Kit # 52455

60050K	1000 PSI 1/2 GPM Direct Drive Pump	1
56401-1	Nylon Tubing 50 Ft. Roll	1
52468-1	Fog Riser Assembly (3 Head)	5
51423	Anti-Drip .012 Misting Nozzle	15
52621	Brass End Cap	1

30 Nozzle High Pressure Fogging Kit # 52458

60100	1000 PSI 1 GPM Direct Drive Pump	1
56400	Nylon Tubing 100 Ft. Roll	1
52468-1	Fog Riser Assembly (3 Head)	10
51423	Anti-Drip .012 Misting Nozzle	30
52621	Brass End Cap	1



These parts and kits are designed for fog effects around pools, waterfalls and landscapes. Aero Mist has developed specially designed fog risers and fogging kits that make it easy to transform your back yard / resort / restaurant into your own tropical oasis.



FOGGING ACCESORIES

3 Nozzle Fog Head



Part Number	Fitting Description	Tube Size
52459	3 Nozzle Fog Head 10/24 Thread	3/8

5 Nozzle Cluster



52005	5 Nozzle Cluster 10/24 Thread	10/24
52120	5 Nozzle Cluster 12/24 Thread	12/24

SS 316 3 Nozzle Fog Head



52458-SS	3 Nozzle Fog Head 10/24 Thread	1/4
52459-SS	3 Nozzle Fog Head 10/24 Thread	3/8

Fog Riser Assembly

52473-1	Fog Riser Assembly (1 Head)	10/24
52468-1	Fog Riser Assembly (3 Head)	10/24



1 Nozzle Brass Fog Head



Part Number	Fitting Description	Tube Size
52622	1 Nozzle Fog Head 10/24 Thread	3/8

1 Nozzle Stainless Fog Head



Part Number	Fitting Description	Tube Size "	Outlet Size "
54290	Nozzle Adapter	1/4	10/24
54292	Nozzle Adapter	3/8	10/24

3 Nozzle Head



51606	3 Nozzle Head 10/24 Thread	10/24 M
51607	3 Nozzle Head 12/24 Thread	12/24 M

3 Nozzle Head x 5mm Tube



51603	3 Nozzle Head 10/24 Thread	5 mm
51604	3 Nozzle Head 12/24 Thread	5 mm

Tube x 10/24 Adapter



52382	5mm Tube x 10/24 F
52381	3/8 Tube x 10/24 F



WHY USE BROMIC'S TUNGSTEN PORTABLE HEATER

It's Better With Bromic

Based on 1,000 sf space being heated for 4 hours per day:

	STANDARD MUSHROOM HEATER	TUNGSTEN PORTABLE HEATER
Area of Heat Coverage	75 sf	200 sf
Number of Units Needed	10	5
Cost for Five-Gallon Tank of Propane	\$19.95*	\$19.95*
Tanks Used Daily	5	2.5
Cost per Day	\$99.75	\$49.88
Cost per Month	\$2,793	\$1,396

Operational Expense Savings

\$16,752
IN ONE YEAR

\$117,264
THROUGHOUT THE
TUNGSTEN'S 7-YEAR LIFESPAN

LUXURY HEATING

TUNGSTEN SMART-HEAT™ PORTABLE

MODEL NUMBER

PRODUCT CODE	BH0510001 BH0510005
FUEL TYPE	LPG NG
COLOR	BLACK
HEAT AREA	215FT²
ELECTRICAL CONNECTION	-
MINIMUM CEILING CLEARANCE	36"
OUTPUT	38,500 BTU

MOUNTING OPTIONS

CEILING MOUNT	-
WALL MOUNT	-
RECESSED FLUSH MOUNT	-
CEILING POLE MOUNT	-
FREESTANDING	✓




LUXURY HEATING

BRO-BH0510001 Tungsten 500 Portable Heater LPG



TANK NOT INCLUDED



LUXURY HEATING



UP TO 75ft	COVERAGE	UP TO 200ft
NON-DIRECTIONAL HEAT >> VERTICAL HEAT LOSS	EFFICIENCY	DIRECTIONAL HEAT >> HIGH EFFICIENCY
UNBALANCED	STRUCTURE	STABLE WEIGHTED BASE
REQUIRES SEASONAL REPLACEMENT	DURABILITY	7 YEAR DUTY CYCLE
GENERIC	DESIGN	AWARD-WINNING!

Non-Directional




reddot design award
Directional



LUXURY HEATING



Wall Mounting



Straight Pole

Ceiling Mount 24"



Double Pole

Ceiling Mount 24"




Curved Pole


Ceiling Mount 24"




LUXURY HEATING



2000W / 3000W / 4000W / 6000W



LUXURY HEATING



LUXURY HEATING



LUXURY OUTDOOR FURNITURE

COUTURE®
Sardin



LUXURY OUTDOOR FURNITURE



DANAO



COLLARE LOUNGE



CUFF HIGH BACK



DESERT SIDE TABLE



S2 DOUBLE CHAISE LOUNGE



CHILL STATEMENT SOFA

LUXURY OUTDOOR FURNITURE



GREENWICH BATLINE CHAISE WITH
ARM & WHEELS (STACKABLE)



JAGGER LOVE SEAT



GREENWICH 3 SEAT SOFA




GREENWICH LOUNGE CHAIR COCKTAIL



LUXURY OUTDOOR FURNITURE



LUXURY OUTDOOR FURNITURE



COUTURE®
Sardin

KYOTE
EQUIPMENT

homestyles®

**TREASURE
GARDEN**

ALFRESCO HOME

CARUSO
Sublime

TROWBRIDGE fine art

LuTo

BROMIC®
HEATING

OUTDOOR LIGHTING



MODEL KYL-30097

30097 Kyote Wall Sconce Die-Cast Brass

Antique Bronze



MODEL KYL-30066

30066 Kyote Path Light Die-Cast Brass

Antique Bronze



MODEL KYL-30064

30064 Kyote Up Light Die-Cast Brass

Antique Bronze

OUTDOOR LIGHTING



MODEL KYL-30094
30094 Kyote Flood Light Die-Cast Brass
Antique Bronze



MODEL KYL-30096
30096 Kyote Deck Light Die-Cast Brass
Antique Bronze



MODEL KYL-30099
30099 Kyote Underwater Light Die-Cast
Brass Antique Bronze

KYOTE EQUIPMENT AIR COMPRESSORS



CHAMPION®



IR-2340L5-V-230-1

INGERSOLL RAND TWO STAGE AIR COM-
PRESSOR 5 HP, 60 GALLON VERTICAL
TANK 230 VOLT SINGLE PHASE 175 PSI
14.3 CFM



CHA-ADVA-S19

CHAMPION 10 HP ADVANTAGE SERIES AIR
COMPRESSOR 120 GALLON VERTICAL
TANK 230 VOLT 3 PHASE

IR Ingersoll Rand

KYOTE EQUIPMENT AIR COMPRESSORS



CHA-L05-230V-3PH

CHAMPION L SERIES (ROTARY SCREW
FIXED SPEED) 7.5 HP 120 GALLON
TANK 230 VOLT-3 PHASE



ROL-1040HK18

ROLAIR, GAS-POWERED AIR COMPRESSOR,
14.3 CFM @ 90 PSI, 9 GALLON WHEELBARROW
TANK, WITH HONDA 9.0 HP GX270



KYOTE EQUIPMENT PRESSURE WASHERS



SIM-65206

SUPERPRO ROLL-CAGE SW4440HCDM 49-
STATE4400 PSI AT 4.0 GPM HONDA GX390
WITH AAA® TRIPLEX PLUNGER PUMP COLD
WATER PROFESSIONAL GAS PRESSURE
WASHER



SIM-65123

3500 PSI AT 5.5 GPM HONDA® 630CC WITH
GENERAL PUMP INDUSTRIAL TRIPLEX HOT
WATER PROFESSIONAL GAS PRESSURE
WASHER



KYOTE EQUIPMENT GENERATORS / INVERTERS



SIM-70055

INDUSTRIAL GENERATOR SCGH8500E 7000-
WATT GENERATOR 50-STATE


SIM-70072

POWERSHOT PORTABLE GENERATOR
SPG7593E7500-WATT GENERATOR



KYOTE EQUIPMENT IRRIGATION





TESORO
 LUXURY OUTDOOR LIVING

21500 N. 8th Way Suite 110
Phoenix, AZ 85024



**YOUR SINGLE SOURCE OF CREATING
 EXRORDINARY OUTDOOR ENVIRONMENTS**

1343 N. Colorado St. Suite 106
Gilbert, AZ 85233



AEROMIST
 .COM

www.kyoteequipment.com
(480) 787-2040

www.aeromist.com
623-444-5121